

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1450 Alcassedan, Virginia 22313-1450 www.emplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/583,255	06/16/2006	Firmin Garcia	Q95345	9112
23373 7590 08/04/2009 SUGHRUE MION, PLLC 2100 PENNSYLVANIA AVENUE, N.W.			EXAMINER	
			JACYNA, J CASIMER	
SUITE 800 WASHINGTON, DC 20037		ART UNIT	PAPER NUMBER	
			MAIL DATE	DELIVERY MODE
			08/04/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/583 255 GARCIA ET AL. Office Action Summary Examiner Art Unit J. Casimer Jacvna 3754 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 21 April 2009. 2a) ☐ This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-8 is/are pending in the application. 4a) Of the above claim(s) _____ is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 1-8 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10)⊠ The drawing(s) filed on 21 April 2009 is/are: a)⊠ accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s)

1) Notice of References Cited (PTO-892)

Information Disclosure Statement(s) (PTO/SZ/UE)
Paper No(s)/Mail Date ______.

Notice of Draftsperson's Patent Drawing Review (PTO-948)

Interview Summary (PTO-413)
Paper No(s)/Mail Date.

6) Other:

Notice of Informal Patent Application

Application/Control Number: 10/583,255

Art Unit: 3754

 The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

- 2. Claims 1-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Garcia et al. 2003/0109068. The embodiment of figure 4 of Garcia discloses a fluid dispenser member 1 with a body 10, a fastening means 17, a gasket 18 and an ID unit 3 with the claimed gap immediately above and to the left of 3 in figure 4. Paragraph 30 further discloses that the unit 3 can also be located either in 10 or in the side wall of 10 in lieu of the location buried in the gasket 18 as shown in figure 4. The embodiment of figure 3 discloses that the unit 3 can be located on the side wall of 10 immediately below the claimed gap. One of ordinary skill in the art in considering the disclosure of alternate locations on the side wall of body in figure 3 and at other locations in paragraph 30 would have realized that the unit 3 could be placed within the claimed gap on the side wall of 10 and would have considered this location to be obvious in view of the disclosure in paragraph 30 and the embodiment of figure 3.
- 3. Applicant's arguments filed 4/21/2009 have been fully considered but they are not persuasive. Although paragraph 30 does not disclose placing the unit 3 on the body 10, the embodiment of figure 3 of the reference does. Therefore placing the unit 3 on the gasket as shown in figure 4 but on the side wall of 10 as shown in figure 3 would have been obvious since there is a gap shown in this location and in view of the disclosure in paragraph 30 of using alternate embodiments one of ordinary skill in the art would have been led to combine figures 3 and 4 as claimed.

Application/Control Number: 10/583,255 Art Unit: 3754

 Any inquiry concerning this communication or earlier communications from the examiner should be directed to J. Casimer Jacyna whose telephone number is 571-272-4889. The examiner can normally be reached on Mon. thru Fri. 9AM-5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Shaver can be reached on 571-272-4720. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. Casimer Jacyna/ Primary Examiner, Art Unit 3754